

To our dear customers.

NISSEI CORPORATION
Gear Motor Sales Department

Discontinuation Notice

NISSEI CORPORATION hereby announces the discontinuation of the products listed below.

■ Discontinued Products

Series		Target Models			Replacement Model		
GTR-AR BLDC Gear Motor	AEF	Gear Motor	All Capacities		GTR-eco IPM Series Position Control Type	All Capacities	
		Driver					
	APQ	Gear Motor	All Capacities		GTR-eco IPM Series Speed Control Type	All Capacities	
		Driver					
GTR Induction Motor	NEXT GTR New MID	F3 Type Frame 50 and 55 ※1 Details in next page	1.5kW	Ratio 1/80-1/240	F type frame 55 ※1 Details in next page	1.5kW	Ratio 1/80-1/240
			2.2kW	Ratio 1/40-1/120		2.2kW	Ratio 1/40-1/120
	MID	1Ph Manual Release brake	All Capacities		No replacements available.		
		Re-inforced Clutch brake	0.2kW 0.4kW		Standard Clutch Brake	0.4kW 0.75kW	
		Double Voltage Clutch brake (w/ exposed lead wires)	All Capacities		Double Voltage Clutch brake (w/ terminal box)	All Capacities	
GTR-eco IPM	IPM	F3 Type Frame 50 and 55 ※1 Details in next page	1.5kW	Ratio 1/80-1/240	F type frame 55 ※1 Details in next page	1.5kW	Ratio 1/80-1/240
			2.2kW	Ratio 1/40-1/120		2.2kW	Ratio 1/40-1/120

■ Transition Period (Acceptance of last order)

The above items will be officially discontinued after the end of June, 2021.

■ Replacement availability

NISSEI CORPORATION may provide orders for replacement up to 7 years after discontinuation.
(June, 2028)

※The final cut date may change depending on inventory and market situations.

※Price and lead time of the products will change after the official discontinuation date.

■ Contacts (TEL)

●Tokyo Office : 03-5695-5411 ●Nagoya Office : 0566-92-7410 ●Osaka Office : 06-6210-1157



■ NISSEI CORPORATION

●Oversea Sales Office : 0566-92-5312


●Customer Service Center (Japanese only) : 0120-889-867

■Difference between “F3 Type Frame 55 and “F type frame 55” (※1)

F3 Series 1.5kW Frame55 Ratio: 1/80-1/240




F Series 1.5kW Frame55 Ratio: 1/80-1/240





■Difference between “F3 Type Frame 55, Frame 50 and “F type frame 55” (※1)

F3 Series 2.2kW Frame55 Ratio: 1/40-1/60



F3 Series 2.2kW Frame55 Ratio: 1/80-1/120



F Series 2.2kW Frame55 Ratio: 1/40-1/120

